This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.





-Trp-Leu-Glu-Glu-Glu-Glu

Peptide spacer Diptheria toxoid





Fig. 4




6/12

Fig. 6

MEAN PROLIFERATION INDEX (%)

\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Small intestine		Large Intestine	
	Crypts	Tumour	Crypts	Tumour
Yehicle	6.45	33.3 (6.6)	6.05 (2.7)	(10.4)
GI7-DT	5.87 (0.8)	26.7 (5.1) p<0.005	5.80 (2.5)	25.6 (7.6) p<0.0000

Timed anti - G17(1-9):DT antibody in Min mice




- Day 7 Post-immunisation
 Day 14 Post-immunisation
 Positive Control
 Negative Control

+ Yehicle + Omeprazole

Fig. 8


8/12


Min mouse anti-G17 (1-9):DT antibody data




Group I yersus Group 2, p=0.02, Mann Whiteey

Min mouse serum G17 data








11/12

FIG. 11



12/12

FIG. 12

